










KAGO cable fastenings for rails and sleepers

	<u>KAGO no.</u>		<u>Item no.</u>
Cable fastening clamp (under rail base), for PE pipe 28/22KR, pipe welded vertically, tempered. (without illustration: for other basic clamp types like P etc.) Suitable for continuous use.	CR28HKV (PR28HKV)		620307.017 (621607.016)
Cable fastening clamp (under rail base), for PE pipe 50/44KR, pipe welded vertically, tempered. (without illustration: for other basic clamp types like P etc.) Suitable for continuous use.	CR50HKSV (PR50HKSV)		620307.027 (621607.027)
Cable fastening clamp (under rail base), for PE pipe 50/44KR, pipe welded diagonally, tempered. Suitable for continuous use.	CR50HKV		620307.030
Cable fastening bracket (over or along sleepers), for PE pipe 28/22KR (at the top), mono-block B91, sleeper centre.	36.91KMV		613025.005
Cable fastening bracket (over or along sleepers), for PE pipe 50/44KR & 28/22KR, mono-block B91, sleeper centre.	37.91KMV		613020.005
Cable fastening bracket (over or along sleepers), for PE pipe 50/44KR & 28/22KR, mono-block B91 and B70, sleeper head outside.	37.91KAV B91 (37.91KAV B70)		613020.010 (613020.011)
Cable fastening bracket (over or along sleepers), for PE pipe 28/22KR, whole sleeper width, switch concrete sleeper (for standard gauge and narrow gauge).	36KMVWa		613015.006
Cable fastening bracket (over or along sleepers), for PE pipe 50/44KR & 28/22KR, whole sleeper width, switch concrete sleeper (for standard gauge and narrow gauge).	37KMVWa		613010.006
Cable fastening bracket (over or along sleepers), for sleeper FSV35P for PE pipe 28/22KR.	36.99KMV		613025.090

Plastic pipe 28/22KR	= Outer \varnothing 28.3 / Inner \varnothing 22.3 mm
Plastic pipe 32/24KRF	= Outer \varnothing 32.0 / Inner \varnothing 24.8 mm
Plastic pipe 50/44KR	= Outer \varnothing 50.0 / Inner \varnothing 44.0 mm
Plastic pipe 50/40KRF	= Outer \varnothing 50.0 / Inner \varnothing 40.0 mm